## **LIST OF VALID AIP SUPPLEMENTS**

NUMBER	FIR/AERODROME (LOCATION) STATE	SUBJECT
15/23	Canouan (TVSC)	TVSC NDB 'CAI' 302.0KHz Unserviceable
14/23	Piarco FIR (TTZP)	Interim Routings to be utilized within the Piarco FIR due to the removal of the UA550, UA551 and UA561 Routes
13/23	Clayton J. Lloyd (TQPF)	Aerodrome Chart Updated
12/23	A.N.R Robinson/Tobago (TTCP)	Revision of RWY 29 declared distances and availability of Runway End Safety Area (RESA) RWY 29
11/23	Piarco FIR (TTZP)	Establishment of waypoints URSIK and TWELM on the common boundary between the Adams Terminal Control Area and the Piarco Flight Information Region (TTZP)
02/23	Douglas Charles (TDPD)	Change in Aerodrome Operating Hours
10/22	Piarco (TTPP)	Model Aircraft Display

LIST LAST UPDATED 28 NOVEMBER 2023



## AIP SUPPLEMENT

Tele: 1 868 669-4128 1 868 668-8222 ext 2510 FAX: 1 868 669 1716 AFTN: TTPPYNYX Email:aispublications@caa.gov.tt

TRINIDAD & TOBAGO CIVIL AVIATION AUTHORITY, P.O. BOX 2163, NATIONAL MAIL CENTRE, PIARCO REPUBLIC OF TRINIDAD AND TOBAGO

15/23 09 OCT 23

AD

#### 15. CANOUAN AIRPORT (TVSC)

TVSC NDB 'CAI' 302.0KHz UNSERVICEABLE

Effective: 231009 to 240430


TVSC NDB 'CAI' 302.0KHz unserviceable.

Due to the unserviceability of the 'CAI' NDB, the following Instrument Approaches are unavailable:

- NDB Z RWY 13
- NDB Y RWY 13 (Cat A/B)
- NDB X RWY 13 (Cat C)

Please refer to AIP pages AD 2.9-3-8, AD 2.9-3-15, AD 2.9-3-17, AD 2.9-3-18.

AIP Supplement 15/23 replaces NOTAM A1438/23.





## AIP SUPPLEMENT

Tele: 1 868 669-4128 1 868 668-8222 ext 2510 FAX: 1 868 669 1716 AFTN: TTPPYNYX Email:aispublications@caa.gov.tt

TRINIDAD & TOBAGO CIVIL AVIATION AUTHORITY, P.O. BOX 2163, NATIONAL MAIL CENTRE, PIARCO REPUBLIC OF TRINIDAD AND TOBAGO

14/23 27 SEP 23

#### **ENR**

#### 14. PIARCO FIR (TTZP)

# INTERIM ROUTINGS TO BE UTILIZED WITHIN THE PIARCO FIR DUE TO THE REMOVAL OF THE UA550, UA551 AND UA561 ROUTES

Effective: 230927 to 240930

The reorganization of the Piarco Flight Information Region is being implemented in a phased approach.

Currently, based on collaboration with all stakeholders, the upper airspace has been redesigned taking into account the Performance Based Navigation (PBN) concept. In addition, through the CANSO/IATA/ICAO Free Route Airspace (CIIFRA) initiative, a number of pre-approved optimized routes have been implemented.

The next phase of the airspace optimization project involves the connection of the new/revised upper airspace routes to the lower airspace arrival and departure routes into the aerodromes within the Piarco FIR. The implementation of this phase is expected to take place over 2023/2024.

Aircraft Operators and Flight Dispatchers are urged to please take note of the following:

- Routes implemented in the Piarco FIR which have been incorporated into the Eastern Caribbean AIP (ENR 3.2):
- UP533
- UN669
- UP410
- UM662
- Conventional routes which have been removed from the Piarco FIR:
- UA550
- UA551
- UA561

With regards to flights that previously utilized the UA550, UA551 and UA561 between the Piarco and Maiquetia FIRs, the following are suggested routings to be filed in the interim until the full implementation of the Piarco FIR Airspace Optimization is completed:

- (a) Aircraft landing/departing TAPA that previously utilized the UA550, may file: ITEGO DCT DUNTA DCT ANU or the reciprocal.
- (b) Aircraft landing/departing TFFR that previously utilized the UA550, may file: ITEGO DCT PPR or the reciprocal.

(c) Aircraft landing/departing TFFF that previously utilized the UA551, may file: ONGAL DCT FOF or the reciprocal.		
(d) Aircraft landing/departing TLPL that previously utilized the UA551, may file: ONGAL DCT BNE or the reciprocal.		
(e) Aircraft landing/departing TGPY that previously utilized the UA561, may file: ILVAS DCT GND or the reciprocal.		
(f) Aircraft landing/departing TBPB that previously utilized the UA561, may file: ILVAS DCT BGI or the reciprocal.		
(g) Aircraft landing/departing TVSA that previously utilized the UA561, may file: ILVAS DCT SV or the reciprocal.		
NOTE: Notwithstanding the above suggested routings, any flight entering the Piarco FIR from the Maiquetia FIR may file from any waypoint along the Piarco/Maiquetia boundary to a destination aerodrome WITHIN the Piarco FIR.		
Questions or alternative requests regarding these interim procedures can be directed to: piarcoairspacemanagement@caa.gov.tt		
AVD GVID 4.4 /0.0 AVD GVID 0.4 /0.0		
AIP SUP 14/23 revises AIP SUP 01/23		
END		



## AIRAC AIP SUPPLEMENT

Tele: 1 868 669-4128 1 868 668-8222 ext 2510 FAX: 1 868 669 1716 AFTN: TTPPYNYX Email:aispublications@caa.gov.tt

TRINIDAD & TOBAGO CIVIL AVIATION AUTHORITY, P.O. BOX 2163, NATIONAL MAIL CENTRE, PIARCO REPUBLIC OF TRINIDAD AND TOBAGO

13/23 05 OCT 23

#### AD

#### 13. CLAYTON J. LLOYD INTERNATIONAL AIRPORT (TQPF)

#### **AERODROME CHART UPDATED**


Effective: 231005 to PERM


The Aerodrome Chart for TQPF has been revised as follows:

- 1. Taxiways
- Taxiway D (east of new Taxiway E) decommissioned
- New Taxiway D established
- New Taxiway E established
- 2. Apron
- Old Taxiway D (east-west portion) renamed to Hangar Apron
- New Main Apron (northeast) added with new stand 11
- New Cargo Apron added
- 3. Line Markings
- Runway line markings revised
- New Taxiway D and Taxiway E line markings added
- 4. Lights
- Existing Taxiways and Apron blue edge lights added throughout airfield
- Existing Runway edge lights added throughout airfield
- New Taxiway D and Taxiway E edge lights added
- 5. Roads
- New Airside Access Road added
- Updated ARFF road added
- 6. Updated runway/taxiway/apron physical characteristics (surface and bearing strength)

7. New carpark added
8. Updated ATC/Fire Station U/C building
9. SRA delineators added for Main Apron (northeast) area
Please see updated chart in Attachment A.
Please amend the following pages of the Eastern Caribbean AIP: AD 2.1-1-3, AD 2.1-1-5 and AD 2.1-1-7.
END

## **ATTACHMENT A**







## **AIRAC AIP** SUPPLEMENT

Tele: 1 868 669-4128 1 868 668-8222 ext 2510 FAX: 1 868 669 1716 AFTN: TTPPYNYX

TRINIDAD & TOBAGO CIVIL AVIATION AUTHORITY P.O. BOX 2163, NATIONAL MAIL CENTRE, PIARCO REPUBLIC OF TRINIDAD AND TOBAGO

12/23

Email:aispublications@caa.gov.tt

07 SEP 23

AD

#### 12. A. N. R. ROBINSON INTERNATIONAL AIRPORT (TTCP)

Revision of RWY 29 declared distances and availability of Runway End Safety Area (RESA) **RWY 29** 

Effective: 230907 to PERM

The declared distances for RWY 29 at the A. N. R. Robinson International Airport have been revised. The following are the redeclared distances for RWY 29:


	TORA	TODA	ASDA	LDA
RWY 29	2449M	2449M	2449M	2449M

RESA is now available for RWY 29 with the following dimensions:

	Northern Side	Southern Side
RESA RWY 29	234M x 75M	234M x 101M

The RESA for RWY 11 remains as published in the Eastern Caribbean AIP page AD 2.10-2-5.

Please amend the Eastern Caribbean AIP pages AD 2.10-2-5, AD 2.10-2-13, and AD 2.10-2-15.





## AIRAC AIP SUPPLEMENT

Tele: 1 868 669-4128 1 868 668-8222 ext 2510 FAX: 1 868 669 1716 AFTN: TTPPYNYX Email:aispublications@caa.gov.tt

TRINIDAD & TOBAGO CIVIL AVIATION AUTHORITY, P.O. BOX 2163, NATIONAL MAIL CENTRE, PIARCO REPUBLIC OF TRINIDAD AND TOBAGO

11/23 07 Sep 23

#### **ENR**

#### 11. PIARCO FIR (TTZP)

Establishment of waypoints URSIK and TWELM on the common boundary between the Adams Terminal Control Area and the Piarco Flight Information Region (TTZP)

Effective: 230907 to PERM

#### 1.0 Introduction

1.1 In an effort to meet the evolving operational needs of a growing civil aviation environment, the following waypoints have been established on the northeastern boundary of the Adams TMA and the Piarco FIR:

Waypoint	Coordinates
URSIK	14 12 11N 059 01 48W
TWELM	13 55 20N 058 42 28W

1.2 These waypoints will facilitate aircraft entering and exiting the Adams TMA via the Piarco Oceanic Sector, and form part of the future development of airspace optimization plans.


#### 2.0 Procedures


- 2.1 Arriving Aircraft
- 2.1.1 Aircraft inbound to Grantley Adams International Airport (TBPB) from waypoint ELJEZ (18 00 00N 057 00 00W) or east along the TTZP/KZWY FIR common boundary shall plan a flight route to enter the Adams TMA at waypoint URSIK.
- 2.2 Departing Aircraft
- 2.2.1 Aircraft departing the Grantley Adams International Airport (TBPB) leaving the TTZP FIR at waypoint ELJEZ or east along the TTZP/KZWY FIR common boundary shall plan a flight route to exit the Adams TMA at waypoint TWELM.
- 2.3 Overflying Aircraft
- 2.3.1 Aircraft transiting or overflying the Adams TMA are not affected by these procedures.

2.4	Other Aircraft			
2.4.1	Aircraft arriving or departing the Grantley Adams International Airport (TBPB) via routes outside the areas specified in 2.1.1 and 2.2.1 above are not affected by these procedures.			
	e see chart in Attachment A for the location and characteristics of the waypoints URSIK and M within the Piarco FIR.			
Pleas ENR	Please amend the following pages of the Eastern Caribbean AIP: GEN 3.2-6, ENR 4.4-7, ENR 6.1-7 and ENR 6.1-9.			
	END			

## **ATTACHMENT A**

#### AIRAC AIP SUP 11/23







## AIP SUPPLEMENT

Tele: 1 868 669-4128 1 868 668-8222 ext 2510 FAX: 1 868 669 1716 AFTN: TTPPYNYX Email:aispublications@caa.gov.tt

TRINIDAD & TOBAGO CIVIL AVIATION AUTHORITY, P.O. BOX 2163, NATIONAL MAIL CENTRE, PIARCO REPUBLIC OF TRINIDAD AND TOBAGO

02/23 21 MAR 23

<u>AD</u>


UZ. DUUGLAS CHAKLES (TDPD	02. DOUGLAS CHARLES	S (TDPD)
---------------------------	---------------------	----------

#### **CHANGE IN AERODROME OPERATING HOURS**

Effective: 230321 to 240320

Aerodrome operating hours are now 1000 to 2359 UTC. Prior notice is required for operations occurring after 0000 UTC.

AIP Supplement 02/23 replaces NOTAM A0435/23.





## AIP **SUPPLEMENT**

Tele: 1 868 669-4128 1 868 668-8222 ext 2510

TRINIDAD & TOBAGO

FAX: 1 868 669 1716	CIVIL AVIATION AUTHORITY, P.O. BOX 2163, NATIONAL MAIL CENTRE, PIARCO	10/22 11 OCT 22
AFTN: TTPPYNYX Email:aispublications@caa.gov.tt	REPUBLÍC OF TRINIDAD AND TOBÁGO	11 001 22
	ENR	
10. PIARCO (TTPP)		
Model Aircraft Display		
Effective: 221011 to 241	011	
Model aircraft display at Fi	rederick Settlement within a radius of 1KM centred on	103538N0612337W
from SFC to 400FT AGL.		
Pilots flying the area are as	sked to exercise caution	
Thousany mg the area are as	and to the tipe dution	

